			"
	Application No.	Applicant(s)	
Notice of Allowability	09/476,979	BOOTH, LAWRENCE A.	
	Examiner	Art Unit	
	Gary C. Vieaux	2612	
The MAILING DATE of this communication a All claims being allowable, PROSECUTION ON THE MERITS herewith (or previously mailed), a Notice of Allowance (PTOL- NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATEN of the Office or upon petition by the applicant. See 37 CFR 1.	ppears on the cover sheet w. IS (OR REMAINS) CLOSED in 85) or other appropriate common TRIGHTS. This application is	n this application. If not included unication will be mailed in due cours	e. <b>THIS</b> ne initiative
1. This communication is responsive to <u>10/15/2004</u> .			
2. The allowed claim(s) is/are <u>1-15</u> .		٠.	
3. $\boxtimes$ The drawings filed on <u>15 October 2004</u> are accepted b	y the Examiner.		
<ul> <li>4. Acknowledgment is made of a claim for foreign priorit</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents h</li> <li>2. Certified copies of the priority documents h</li> <li>3. Copies of the certified copies of the priority International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>	nave been received. nave been received in Applicati	on No	om the
Applicant has THREE MONTHS FROM THE "MAILING DA noted below. Failure to timely comply will result in ABANDC THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	TE" of this communication to file DNMENT of this application.	e a reply complying with the requiren	nents
5. A SUBSTITUTE OATH OR DECLARATION must be su INFORMAL PATENT APPLICATION (PTO-152) which	ubmitted. Note the attached EX gives reason(s) why the oath o	AMINER'S AMENDMENT or NOTIC or declaration is deficient.	E OF
6. CORRECTED DRAWINGS (as "replacement sheets")  (a) including changes required by the Notice of Drafts  1) hereto or 2) to Paper No./Mail Date  (b) including changes required by the attached Examin Paper No./Mail Date  Paper No./Mail Date  Identifying indicia such as the application number (see 37 CF each sheet. Replacement sheet(s) should be labeled as such  7. DEPOSIT OF and/or INFORMATION about the definition of the sheet sheet in the definition of the sheet sheet in the sheet sheet is should be labeled as such in the sheet sheet in the sheet sheet sheet in the sheet shee	person's Patent Drawing Revie 	r in the Office action of he drawings in the front (not the back FR 1.121(d).	
attached Examiner's comment regarding REQUIREME	NT FOR THE DEPOSIT OF BI	OLOGICAL MATERIAL.	
Attachment(s)  1. ☐ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-94)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/5 Paper No./Mail Date  4. ☐ Examiner's Comment Regarding Requirement for Depose of Biological Material	6. Interview S Paper No. SB/08), 7. Examiner's	nformal Patent Application (PTO-152 summary (PTO-413), /Mail Date s Amendment/Comment s Statement of Reasons for Allowand	,

Art Unit: 2612

## **DETAILED ACTION**

# Change of Examiner

The prosecution of this application has been transferred to Examiner Gary C. Vieaux from the docket of Examiner Jeremy R. Elder. Any inquiry concerning this or earlier communications should be directed to the current Examiner of record. Current contact information is provided in the last section of this communication.

#### **Amendment**

The Amendment filed October 15, 2004 has been received and made of record. In response to the first office action, Applicant has amended claims 11 and 12, as well as figures 1A and 2.

### Response to Amendment

Figures 1A has been amended to correct inconsistency with photosites 114 and 123; Figure 2 has been amended to correct drafting inconsistencies; and the Specification has been amended to so that properly coincide with the drawings. Based on the foregoing amendments, the objection to the Drawings is hereby withdrawn.

The Specification was also amended to correct a typographical error. Based on the foregoing correction, the objection to the Specification is hereby withdrawn.

Application/Control Number: 09/476,979

Art Unit: 2612

Page 3

### Allowable Subject Matter

Claims 11-15 are allowed.

Regarding claims 1-10, the claims were previously deemed allowable (see Office Action of July 21, 2004.)

Regarding claims 11-15, the prior art is not found to teach or at least fairly suggest color channel pulse generation, generating a set of sample signals based on a first duty cycle register wherein the sample signals represent a first shutter control pulse width for the first color channel being split into a plurality of sub-pulses whose sum width equals the first pulse width.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

#### Contact

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gary C. Vieaux whose telephone number is 571-272-7318. The examiner can normally be reached on Monday - Friday, 8:00am - 4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wendy Garber can be reached on 571-272-7308. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/476,979

Art Unit: 2612

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Gary C. Vieaux Examiner Art Unit 2612

GCV2

WENDY R. GARBER
WENDY R. GARBER
SUPERIVISORY PATENT EXAMINER
SUPERIVISORY CENTER 2500